

Ref #	Hits	Search Query	DBs	Default. Operat or	Plura ls	Time Stamp
		(US-20020172476-\$ or US-20030001081-\$).did. or (US-4989930-\$ or US-6527454-\$ or US-6560248-\$ or US-6740963-\$).did.	US-PGP UB; USPAT	OR	OFF	2005/04/05 19:05
L1	1	("20050139843").PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2005/07/19 12:42
L2	1	1 and optical	US-PGP UB; USPAT	OR	OFF	2005/07/19 12:42
L4	506	(257/81).CCLS.	US-PGP UB; USPAT; USOCR	OR	OFF	2005/07/19 12:54
L6	0	"3611064" and dielectric near3 header	US-PGP UB; USPAT	OR	OFF	2005/07/19 13:04
L7	16	"3611064"	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/07/19 12:59
L8	35421	Electroluminescent solid-state adj lamp light-emitting adj diode light\$1emitting adj diode	US-PGP UB; USPAT	OR	OFF	2005/07/19 13:06
L9	148	dielectric near3 header	US-PGP UB; USPAT	OR	OFF	2005/07/19 13:07
L10	256	semiconductor near3 header	US-PGP UB; USPAT	OR	OFF	2005/07/19 13:07
L11	476	dielectric near3 (mount header submount)	US-PGP UB; USPAT	OR	OFF	2005/07/19 13:07

L12	3997	semiconductor near3 (mount header submount)	US-PGP UB; USPAT	OR	OFF	2005/07/19 13:07
L13	0	8 and 11 and 12	US-PGP UB; USPAT	OR	OFF	2005/07/19 13:08
L14	86	8 and (11 or 12)	US-PGP UB; USPAT	OR	OFF	2005/07/19 13:08
L17	3	"959940".ap. and @pd>"20010101"	US-PGP UB; USPAT	OR	OFF	2005/07/19 13:59
L18	2	("5982082"   "6054716"). PN.	US-PGP UB; USPAT; USOCR	OR	OFF	2005/07/19 14:00
L20	14	("09283825" or "11233876" or "5371755" or "5646763" or "5771220").did. or (("6678432") or ("6687039") or ("6735353") or ("6823145") or ("6826212") or ("6831767") or ("6831767") or ("20030180054") or ("20040239944") or ("6678479")).PN.	US-PGP UB; USPAT; JPO	OR	OFF	2005/07/19 15:53
L21	17	tada-satoshi.in.	JPO	OR	OFF	2005/07/19 15:55
L22	24	"5798856" or "5657148" or "5678936"	US-PGP UB; USPAT; EPO; JPO	OR	OFF	2005/07/19 15:55
L27	377	L4 and (metal metallization)	US-PGP UB; USPAT	OR	ON	2005/07/19 15:55

L28	13	gold-plated adj (header substrate mount submount) and (through-hole via)	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/19 15:55
L29	5	(gold-plated copper-plated nickel-plated silver-plated) adj (header substrate mount submount) and through-hole	US-PGP UB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TDB	OR	ON	2005/07/19 15:55
L30	7651	((257/77,81,763,764) or (385/14,88,91,92)).CCLS.	US-PGP UB; USPAT; USOCR	OR	OFF	2005/07/19 15:55